VERIZON VALIDATED · TCO/ROI IMPACT · 3 WORKSTREAMS · IETF STANDARDS

The SRv6 Network Disruptor Paradigm Shift

Architectural Viability · Business Transformation · Technical White Paper

C-Level Executives · Enterprise Boards · Private Equity Partners

–25%	–60%	$25K
Backbone Latency	Control-Plane CPU	Flat Fee

SRv6 TEK Innovations · Vendor-Neutral Network Engineering Consultancy

NAICS 541512 · 541519 · 541611 · MBE-Eligible Minority-Owned Small Business

The Core Infrastructure Imperative

Legacy MPLS/RSVP-TE architectures, engineered for the narrowband, voice-centric telecommunications paradigm of the early 2000s, are structurally incompatible with the operational and financial realities of 2026 and beyond. The protocol stack that once represented the pinnacle of traffic engineering sophistication has become the primary bottleneck preventing enterprises and carriers from capturing the full economic value of cloud-native infrastructure, 5G network slicing, and AI-driven workload mobility.

- Operational Complexity Tax: RSVP-TE requires per-LSP state maintenance at every node in the forwarding path. In a 500-node backbone, this translates to millions of soft-state refresh cycles per second — consuming CPU, memory, and engineering hours on a protocol adding zero incremental business value.
- Cloud-Native Incompatibility: Modern containerized workloads and Kubernetes-native service meshes require sub-millisecond path programmability and segment-level traffic steering that MPLS/RSVP-TE cannot deliver without proprietary controller overlays introducing vendor lock-in and integration debt.
- 5G/6G Network Slicing Barrier: 3GPP Release 17+ slicing architectures mandate transport-layer isolation with guaranteed SLA enforcement per slice — making dynamic, AI-driven slice orchestration operationally impossible at commercial scale on legacy MPLS.
- Competitive Obsolescence Risk: Tier-1 carriers (AT&T;, Deutsche Telekom, NTT, China Mobile) and hyperscalers (Google, Microsoft, Amazon) have already committed to SRv6 as their strategic forwarding plane.

> ***"Organizations maintaining legacy MPLS architectures face a 3-to-5 year window before vendor support degradation, talent scarcity, and competitive disadvantage create a forced migration at 3–5× the cost."***

The Economics of SRv6 uSID

SRv6 micro-SID (uSID) is not an incremental protocol update. It represents the architectural unification of network transport, service delivery, and cloud orchestration into a single IPv6-native forwarding plane — eliminating the protocol layer proliferation (RSVP-TE, LDP, BGP-LU, MPLS, GRE, VXLAN) that drives 70–80% of carrier network operational expenditure.

Protocol Stack Consolidation

SRv6 uSID replaces MPLS, RSVP-TE, LDP, and segment routing label stacks with a compact 128-bit IPv6 address encoding — reducing encapsulation overhead to 40 bytes of native IPv6 header. This eliminates the per-LSP RSVP state machine, reduces control-plane CPU utilization by 40–60%, and cuts OpEx through elimination of protocol-specific skill silos.

ROI Acceleration: Tier-1 Provider Production Case

In production deployment at a Tier-1 provider national backbone, the SRv6 uSID migration delivered a 25% reduction in end-to-end latency and near-zero traffic loss during cutover — achieved through a Flex-Algo based traffic engineering architecture that eliminated RSVP-TE tunnel provisioning entirely. The migration also enabled dynamic SR-Policy color-based traffic steering for premium enterprise SLA services, creating new revenue-generating product tiers previously impossible on the legacy stack.

Cloud-Native Disaggregation

SRv6 natively integrates with EVPN-based L2/L3 VPN services, enabling hyperscaler-grade network disaggregation where compute, storage, and network forwarding are orchestrated as a unified cloud-native resource pool. This architectural shift directly enables the elimination of expensive chassis-based provider edge hardware, replacing multi-hundred-thousand-dollar PE routers with disaggregated white-box platforms at a fraction of the CapEx.

SRv6 uSID TCO/ROI Impact Matrix

COST DIMENSION	LEGACY MPLS/RSVP-TE	SRv6 uSID ARCHITECTURE	IMPACT
Control-plane protocols	RSVP-TE + LDP + BGP-LU + SR	SR-Policy + service route color signaling	**–60% CPU overhead**
PE hardware CapEx	Chassis-based IOS/JUNOS	Disaggregated white-box	**–40–60% CapEx**
Provisioning time	Hours (RSVP tunnel config)	Seconds (SR-Policy API)	**–98% time-to-activate**
Network slicing	Manual, static MPLS VPN	Dynamic, per-SID slices	**5G/6G enablement**
Latency (backbone)	Baseline	–25% (Tier-1 provider production)	**SLA tier expansion**
Engineering skills	Multi-protocol specialists	Unified SRv6 team	**–30–40% OpEx/engineer**
Fast reroute coverage	LFA/RLFA — partial, multi-hop gaps	TI-LFA — 100% coverage, hitless backup	**Zero traffic loss**
Route summarization	Exact-match only; TCAM exhaustion risk; loopbacks flooded inter-area/AS	LPM summary routes; SRv6 steers aggregates natively	**Eliminates TCAM pressure**
TE hop limit (>6 hops)	~12 SIDs max linerate (NCS-5700/J2); recirculation beyond limit	26 uSIDs linerate single pass (Bell Canada/Rakuten/Cisco, MPLS WC Paris 2022, segment-routing.net)	**2–3× HW scale advantage**

Engagement Scope & Executive Deliverables

This engagement is structured as a high-intensity, confidential advisory partnership delivered across three coordinated workstreams. All sessions are conducted under mutual NDA and tailored exclusively to the client organization's infrastructure profile, competitive landscape, and strategic transformation timeline.

WORKSTREAM	DESCRIPTION	DELIVERABLE	INVESTMENT
A — Executive Strategy Briefing	2-day intensive: SRv6 architecture mapped to board outcomes, ROI modeling workshop, competitive disruption analysis.	C-suite slide deck (20 slides), recorded sessions, board-ready executive summary report.	**$8,500**
B — Custom ROI/TCO Migration Matrix	5-year TCO model: legacy MPLS vs SRv6 uSID. CapEx/OpEx savings with sensitivity analysis. Revenue opportunity sizing for new service tiers.	Financial model (Excel + PDF), risk-adjusted NPV, payback period analysis tailored to client vertical.	**$9,000**
C — Architectural Look-Ahead Report	3-to-5 year architecture roadmap, vendor selection guidance, IETF standards trajectory, migration phasing with rollback procedures.	Written architectural report, migration phasing plan, cloud-native integration blueprint (Kubernetes/Cilium, SR-Policy color signaling, EVPN).	**$7,500**
ALL THREE WORKSTREAMS	Complete engagement — all deliverables across A, B, and C. Fixed fee, fully deliverable-guaranteed. 30-day revision commitment included.	Full deliverable package: briefing deck, TCO model, architectural report, IC defense session.	**$25,000 Flat Fee**

Pricing and Engagement Terms

Payment Terms: 100% due upon SOW execution for engagements under $30,000; structured payment options available for enterprise retainer extensions.

Exclusivity: Engagement includes exclusive advisory access for the duration of the project scope.

Confidentiality: Full mutual NDA executed prior to any infrastructure data exchange or briefing session.

Follow-On Services: Extended advisory retainer available at $12,000/month, covering quarterly architecture reviews and IETF standards monitoring.

Deliverable Guarantee: All workstream deliverables backed by a 30-day revision commitment at no additional cost.

Governing Law: State of Maryland, United States of America.

Ready to Begin Your SRv6 Transformation?

SRv6 TEK Innovations delivers the C-suite briefing, ROI modeling, and architecture roadmap your board needs to commit to the transformation with confidence.

NAICS: 541512 · 541519 · 541611 · MBE-Eligible Minority-Owned Small Business